

Image	Description	Size (L)	Price
	<b>Without Filter</b> 9996-05 9996-04 9996-03 9996-02	Cream TVC-450L TVC-750L TVC-1100L TVC-2500L	<b>in Stock</b> <b>in Stock</b> <b>in Stock</b> <b>in Stock</b>
	<b>Without Filter</b> 9996-06 9944-48 9946-52	Black TVE-250L TVC-1100L TVC-2500L	<b>in Stock</b> <b>in Stock</b> <b>in Stock</b>
	9946-51 9946-50 9949-51 9946-31 9949-50	BLACK/WHITE TAN-2500L TAN-5000L TAN-10000L TAN--15000L TAN--25000L	<b>in Stock</b> <b>in Stock</b> <b>in Stock</b> <b>in Stock</b> <b>in Stock</b>
	9904-06	Cream 1100L	<b>in Stock</b>
	9906-04	Cream 1100L	<b>in Stock</b>
	Tanques Nodriza 9915-04	White 1100L	<b>in Stock</b>
		Black 5000L	<b>in Stock</b>

	<p><b>Hopper tank</b></p> <p>9945-88 9946-53 9946-45</p>	<p>600L 45° 1300L 45° 3000L 45°</p>	<p><b>in Stock</b> <b>in Stock</b> <b>in Stock</b></p>
	<p><b>Animal Bowl</b></p> <p>9946-08</p>	<p>BEC-120L</p>	<p><b>in Stock</b></p>
	<p>9950-85</p>	<p>BEC-300L</p>	<p><b>in Stock</b></p>
	<p>9946-07</p>	<p>BEC-500L</p>	<p><b>in Stock</b></p>
	<p>9947-97</p>	<p>BEC-850L</p>	<p><b>in Stock</b></p>
 <p>01 900 001A 000</p>	<p>9951-09 9946-09</p>	<p>BEC-1000L BEC-1700L</p>	<p><b>in Stock</b> <b>in Stock</b></p>
	<p>9946-06 9957-48</p>	<p>600L 1300l</p>	<p><b>in Stock</b> <b>in Stock</b></p>



• Service • Quality • Innovation

# Centrifugal Pump



**Technical specification:  
1/2 HP, 1HP**

### **Efficiency in its operation**

**The water enters through the center of the body of the Rotoplas Centrifugal Pump and is expelled by means of an impeller. With it you can fill a Tank of up to 1,100 liters to a floor height, in 11 minutes.**

### **The amount of water you need**

**The Rotoplas Centrifugal Pump is useful for all types of domestic service, gardening and container filling. In addition, it is weather resistant, uses little electrical energy, does not produce noise and is guaranteed for 2 years against manufacturing defects.**



• Service • Quality • Innovation

## Electric shower



**In Stock**

**Greater durability thanks to its resistance that lasts 4 times longer due to its high grade of alloy and its engineering design. Maximum energy savings of up to 45% and energy efficiency of 95%. Thermoplastic body much more resistant and with better thermal insulation. Lid with temperature selector.**

**Bracket-mounted heater for durability and ease of maintenance. Optimized diaphragm that ensures the operation of the Shower with low water pressure.**

**Double heating chamber that ensures your bathroom much hotter and energy-saving. Silver and copper contacts for greater energy efficiency and contact durability.**



[www.lanosupplies.com](http://www.lanosupplies.com)



• Service • Quality • Innovation

# Hydropneumatic Systems



**Technical specification:**

**1/2 HP, 3/4HP**

**Power behind the water**

**Rotoplas hydropneumatic systems were designed to maintain an optimal and constant pressure throughout the hydraulic network.**

**Power and performance**

**All Rotoplas hydropneumatic systems are weather resistant, silent in operation and guaranteed for 2 years**



• Service • Quality • Innovation

## Peripheral Pump



**Technical specification:**

**1/2 HP, 3/4HP**

**The Peripheral Pump is ideal for constructions where high water pressures are required. They are also resistant to weathering, are low in electricity consumption, have a silent operation and are guaranteed for 2 years.**



• Service • Quality • Innovation

## Rotoplas Residential Water Softener





• Service • Quality • Innovation

### Description

#### Rotoplas Water Softener (Residential)

Equipment that, through the ionic exchange process, provides a treatment to household water to remove scale (salts and calcium) and thus improve its quality

### Benefits

- \* Eliminates up to 85% of the hardness present in the water (undesirable salts) improving its conditions for better performance.
- \* It contributes to protect the electrical appliances, cooling and heating systems of your home, because it prevents the entry of salts and calcium to the hydraulic line.
- \* Prevents the deterioration of pipes, keys and taps due to the encrustation of salts in them, thus extending their useful life.
- \* Optimizes the performance of soaps and detergents avoiding harshness and loss of color in fabrics.
- \* Promotes skin and hair care associated with hard water.

### Technical Specifications

- \* The equipment is capable of removing concentrations of up to 999 ppm of hardness
  - \* Practical and faster to install because it requires less space.
- \* Very functional, simplifies and facilitates its use thanks to the digital control panel.
- \* Encapsulated packaging that protects internal components and extends product life.
  - \* Certified under the quality standard: ISO-9000
- \* Regulatory Compliance with NOM-003-SCFI-2014. Electrical Products - Safety Specifications



• Service • Quality • Innovation

## Submersible pump



**Technical specification:**

**1/2 HP, 1/3HP**

**The submersible pump is ideal for the extraction of water from floods and swimming pools; it is also weather resistant, has low electrical consumption, has a silent operation and is guaranteed for 2 years.**

# LAN' O

• Service • Quality • Innovation



Replacement Cartridge  
for Jumbo Filter  
FJU-01R



Water Filter  
Cartridge  
PES-01R

Spare cartridge  
for purifier PT-01R



Stander Filter  
FES-01

Water Purifier  
on Stripe  
PST-01



Water Purifier  
Jumbo PJU-01



Water Purifier  
on Stripe PBT-01

Osmosis Inversa  
POI-01

